

We can't ascertain if ^{Baron} has y^e either ever found out
 v. m^o de la Condamine, & v. Geoffroy ab^t of Draking of
 A where y^e tree fell, but y^e is a conjecture.
 Condamine is a conjecture only, to y^e of y^e or, w^h and
 to be subject to an intermitt^t fever; but y^e is delivered
 fairly as a conjecture.

Virgatus, briefly, strength of stom. & in that, antisept^c
 procures a free circulation, & is a divine remedy for
 Hyderic & hypochond. diseases periodical. Head ach
 Cholicky grangreas, & tooth pain. Sydenham calls it y^e
 only specific we know. It's effects are so singular
 y^t it is no wonder physicians sh^d differ so widely
 ab^t it. V. D^r Morton de feb^{re} curandis. Horeb^{us}
 Tuber in tenuis portione qua curat febrium letit.
 Borealis in coliditate & acritate. V. Sebastianus Bader
 to its occult qualities, V. D^r Guiney, in his Dictionary, phar.
 Medicines Antica. others y^t it acts rather as an acid, v. Gell^{us}.
 it is certainly worth while to be peculiar here.

it is bitter, but not so as wormwood or nagecom or
 Absy, & it continues on y^e tongue 3 hours, it is approach-
 ically musty, but it is not astonishing, or but weak, & y^t
 tapers off y^e thinnest branching & furthest.
 it becomes green beautifully with a solution of green vit^{ol}
 & it communicates its bitterness to A, easily, but how long
 how often, & how much build, he can't after a years trial
 he can't tell when the bitterness can be taken away
 & infusion still continued bitter after 8 or ten months
 out of 102 gr. he had 79 gr. by infusions of 1st decoction
 diminished it 2 gr. of 2^d. & w^h it at last came to
 3rd.

Tropeth. v. Herman. Herb. Ind. Dan. Babar. for
 y^e Acorn of it. it is Cith. like Salap, but as its use may
 be new as before said. ing to y^e good use, so y^e use is not certain
 but y^e Salap is better
 if Rapi extracted by Wine is given to gr. x or xij, but fear back
 by A may be given to ʒi, infus. to ʒij

Tussilago
 commended by y^e Antients
 succeeded to y^e Carolina. M^r. Boyle says y^t y^e leaves burnt with
 Succi pop^l sometimes cures a consumption

Valeriana major, *phu major*. *litharis*
phu sic obscuri Bp.
 Large jointed Root, brownish out, & greenish

Valeriana sylvestris
 loves moisture at y^e foot of y^e Salisbury Craggs. Tabern. Em-
 ma, says it grows in marshes. At sea ardis, v. illam. who
 shewed B^{acon}, having left y^e glass because he was troubled with
 y^e Phlegm, & after his death it had been famous y^t way; his
 breath is doubled by none. it is used in Hystrick & Asthmatic
 paroxysms

Vincetoxicum.
 flower
 1st white & yellow, 2^d of y^e same achure, but y^e black one is certainly
 differ^t. strong & warm. Narcissus. he can't call it acid & styph^c &
 very bitter. if y^e scrophularia is good in y^e cough. it has both
 y^e virtues of y^e Valeriana & scrophularia. it is far from being acted

PR3324
 1369
 1744
 Metal Box

he digested of seedlings in ifylands of - ^{10th} gentleman after
if poor had been carried off by salivam by a decoction of this.

Zambabul ^{is. but you is} Ledoaria. Longa & rotunda are not diff. by
if Root mixed with it ^{is} confusion

Linjdon latifolium

- ^{is} by Hermannus.

Tamariscus.

in of South of France, & y^t. & Myrica of of Ant^h.
ashing^t. & called diure, & spleenick by of ant^h.
command. in

not so bitter as of C. but more astring^t. & makes Tak.
Diocorides of leaves drunk with with wine Lion's salve
& pling y^t. Urine y^t. drink out of draughts 4 y^t. have
been found with^t. of spleen

Thuris, Myriammas, sud sicut

Myrica, rubra, Indi Indorum. 1744 p^h. off. R. P.
from of W. India under of name of of. relating to them
Thuris & it keeps its place in of New L. dispensatory
but is w^d in
is called Shakell Cascanilla by Spaniards, & some call
it a species of of C., but it is here

very arom. & visinous
leaves it when, expelly wind prouder persp. & moist
of & menses, & compounded in hysterick Chincough &c
but it ought to be usd in cold phlegmatic cases
& it is good
it is very hot, bitter, resinous & aromatic & 3i istill'd.
will give 3oz of Resin. Histor. de C. Acadan & Memoin
of Phys. A. Altorf gave it Colicatory fevers. M^r. Stola
gave it in P^ripneumony & pleurisy. & compos'd it in
stopping of haemorrhoids, but he does not approve of it y^t.
we sh^d. not go above. I believe have some proofs of it

from these 2 experiments it is plain y^t. I can dissolve it
of of whole **PR3324** 1744
1369 Metal Box.
3 y^t. dissolved in p^h.y resinous & p^h.y gummy, & w^t.
of pure sp^t. extracts is not all resin

60 gr. contains gr. 15 of resinous p^t. gr. 5 of Gummy
& Saltp^r. & 40 of of fact
Chemical analysis shows little, v. Br. pitcairn
Goussier & L. G. 1744
M^r. Lewentrock & Dr. Friend say y^t. it alters of Crayis &
of blood. but Dr. A. thinks it has an effect upon of blood
no infusion decoct. or any preparation does any thing in con-
sistence with of saltp^r. but, made of Laron bark
V. Lister in his Mantissa at of end of his Hydrophobia
again after all preparations of sub^t. any agree.
he us'd of pulv. Cort. in best brandy & after trying
it he found of like good triable bark.

v. *Mangotie Bibliotheca Pharmaceutica*

we can as soon extract it of roughness as of bitterness.
it is not of volatile p^t. w^h. can be extracted with sp^t. nor
is it acid astringent, or bitterish
v. Sydenham in Epistol. 1^{ma} response to & Morton he was abhorr
port taking administration. & he himself gives 2 instances of
vomits making of Aqu. return. it prevents of return of 1. or more
paroxysms, by some effect upon of stomach.
against it requires as much as before upon a relapse.
in relapse after taking of bark & p^h. especially of 1st. are
more violent. if feb continued 20 hours in a man &
does it not here followd^t. it's specific & does not depend
upon of volatile p^h. or
it's taking an attractive or by perspiration insensibility
it certainly lies certainly in it's action on of stomach of
felobugate Cataplasms, Epithems or other such external
application.

if it not as difficult to say how external applications
as internal

in its volatile p^t is contained its corroborant astring^t
of all bitters

its infusion prepares for if administration of spirit^s
he does not ascertain y^t it continues either 1. 2. or 3 weeks
or any phindan, & y^t when it is let forw^d by y^t viscus
y^t of Ague returns, but y^t yth may happen.

he never had a pati^t y^t died in of Ague after giving of
bark as after relaps. his relates story of a ^{child} just weaned
suck'd it down like sweetmeats. Morton says it causes
diaphoresis. it stops if mensura once or A. says.

in modifications, if of evacuations are made & proper applications
of bark is good. Sydenham says it is prejudicial^{ly} continued
fevers. V. Epistola Monitoria. A. says he never saw any good
in Hechick fevers; he gives an inst^e of it's stopping of
sweating on five days but it hasten'd of death & of child
it it not good in night sweats unless aqueous. he doubts
venture in of this sort. V. Memoires de l'Academie par
C^lance 1738.

of dose & manner of exhibition. yth danger in of defect y^t
causes. in powder or llet. lo ℥ij. infer. decob. astring^t
to ℥ss. extr. lo ℥j or in such q. as of rich can be
or as of disease require

3 ways 1 y^t q. y^t can be taken at a time
2. how much is to stop of fl^r. 3 to make a cure
℥i. ist is generally general
quarid. ℥ij is suffic^t to stop. O^{lian} ℥ss. 4. ^{tan} ℥j

3 quor. ℥j. 3 ^{lian} ℥j. 4. ^{tan} ℥iv

repeated once for a quidarian, twice for a tertian &
3 for a quartan

If it fl^r, after all, sh^d return, it is a sign of C. has
been given too soon; But he thinks it is better to give
bitters by way of

intermitt^t fevers are ^{freg^{ly}} rather

in hechick fevers if sweating in of morning is nothing but
of alim^{ts} & of preceding day
mixing with matter uncoarcted by of Lungs
with had. not done yth office.

he told a story of young gentleman y^t vomited several times
a q^t q. of black'd mucus

off. requiring a great deal of decoction to get a suffic^t

V. Morton de flor. Chamamel. palo.

2. parts ^{4 fl^r Chamamel.} 1 p^t of Sal. Abryeth. & 1 p^t of Bioph. Arhimon
cured many agues. & he thinks y^t some bitters mix'd with
tabashing^t & opiaty & given to a good q. as of C. might
be successfull in y^t disease