

2

A CENTURY OF PROGRESS INTERNATIONAL EXPOSITION

1934

*Rules and Regulations and Miscellaneous Information
Applicable to the Design, Construction and Equipment
of Concessions*



ADMINISTRATION BUILDING, BURNHAM PARK
CHICAGO, ILLINOIS
CABLE — CHICAGOFAIR

Form DC-2
FEBRUARY 1, 1934

A CENTURY OF PROGRESS
INTERNATIONAL
EXPOSITION

1934

Rules and Regulations and Miscellaneous Information
Applicable to the Design, Construction and Equipment
of Concessions

ADMINISTRATION BUILDING, BURNHAM PARK
CHICAGO, ILLINOIS
CABLE - CHICAGO FAIR

Vol. 101
REPRINT 1934

TABLE OF CONTENTS

PART I. DETAILED RULES AND REGULATIONS APPLICABLE TO CONSTRUCTION AND EQUIPMENT OF CONCESSIONS.

Section	I. Approval of Designs.
Section	II. Permits for Construction and Installation of Concessions; Required Drawings; Color Approval, etc.
Section	III. Building Code Requirements.
Section	IV. Hours Allowed for Construction and Installation.
Section	V. Railings.
Section	VI. Show Cases, Tables, Etc.
Section	VII. Decorations; Flame-Proofing, etc.
Section	VIII. Moving Pictures.
Section	IX. Sound Producing Devices
Section	X. Refrigeration.
Section	XI. Interior Lighting.
Section	XII. Exterior Lighting.
Section	XIII. Interior Signs.
Section	XIV. Exterior Signs.
Section	XV. Temporary Signs.
Section	XVI. Flood Lights.
Section	XVII. Damage to Utilities.
Section	XVIII. Gas.
Section	XIX. Water.
Section	XX. Storm Sewers to Lake.
Section	XXI. Telephones.
Section	XXII. Raised Platforms.

PART II. ELECTRICAL CONSTRUCTION, OPERATION AND MAINTENANCE.

DETAILED RULES AND REGULATIONS APPLICABLE TO CONSTRUCTION AND EQUIPMENT OF CONCESSIONS

1. General.

These Rules and Regulations are supplemental to Rules and Regulations for CONCESSIONAIRES and apply to all construction and installation work by and for CONCESSIONAIRES throughout all grounds and buildings at A CENTURY OF PROGRESS.

A CENTURY OF PROGRESS reserves the right to construe, amend or add to these Rules and Regulations and to issue others whenever it deems it necessary to do so.

2. Concessionaires Within Exhibit Buildings.

In addition to these Rules and Regulations the CONCESSIONAIRES within A CENTURY OF PROGRESS exhibit buildings, stands, etc., shall comply with the requirements of Part II of Form DC-1 for EXHIBITORS, except Section 1, Article 2.

PART I.

SECTION I.

APPROVAL OF DESIGNS.

1. Requirements.

Each CONCESSIONAIRE is required to secure approval of plans and specifications which fully describe the design and construction of his installation.

2. Preliminary Approval.

CONCESSIONAIRES are urged to contact the Design and Construction Division at the very beginning of the preparation of their drawings. Rules and Regulations will be explained so that the designer may have a clear understanding of the problem before proceeding with his work.

Much time and expense will be saved if preliminary sketches are submitted for constructive criticism before starting final drawings and specifications.

Each CONCESSIONAIRE should secure from the Design and Construction Division information regarding existing utilities affecting his site.

Designers of buildings shall consult with the Color Section of the Design and Construction Division.

3. Final Approval.

Final Approval shall be secured on every booth, building, structure, furniture, decorative feature, sign, awning, umbrella, ground layout, walk, landscaping, etc. Plans and specifications shall be in sufficient detail to show the layout, materials, construction, utilities, design, color and lighting.

(a) No construction, or any other work, shall be started until plans therefor have been approved and a permit issued to the CONCESSIONAIRE. No changes, not contemplated in the permit, will be permitted without authority therefor in writing.

Throughout the operation of the Exposition, approval must be secured and a permit issued before any change, addition, omission, or installation is made.

If a CONCESSIONAIRE includes anything in his Concession that was not shown and approved on the Permit plans, A CENTURY OF PROGRESS reserves the right to remove it at the expense of the CONCESSIONAIRE.

(b) No one shall be permitted to erect, install, operate or maintain any structure, concession, or other item in his space which, in the opinion of A CENTURY OF PROGRESS, will injuriously affect the Exposition, or the rights of any other EXHIBITOR or CONCESSIONAIRE.

(c) Periodic inspections will be made, and any instructions issued by A CENTURY OF PROGRESS to insure safety, or for the removal of objectionable or inharmonious features, must be complied with promptly. A CENTURY OF PROGRESS reserves the right to make any such removal at the expense of the CONCESSIONAIRE.

SECTION II.

PERMITS FOR CONSTRUCTION AND INSTALLATION OF CONCESSIONS AND ERECTION OF SIGNS.

1. Permit Applications.

Permits for construction, alterations, changes, or installation of any kind are issued on Form WD-23, of which six (6) copies are signed by the CONCESSIONAIRE or his authorized contractor.

All CONCESSIONAIRES for the 1934 Exposition are required to secure new permits, even though they desire to use the same design and construction as was approved in 1933.

2. Drawings.

Six (6) sets of drawings and three (3) sets of specifications are required.

Six (6) sets of electrical drawings and six (6) sets of plumbing drawings must also be furnished, and all connections to A CENTURY OF PROGRESS utilities must be shown in detail.

3. Utility Connections.

No connection to A CENTURY OF PROGRESS utility can be made except with the approval of A CENTURY OF PROGRESS. Applications for permission to make such connections shall be made on Form WD-24 (6 copies).

4. Moving Machinery.

If there is any moving machinery, Form E-21 must be signed in triplicate. Three (3) sets of drawings of the machinery, railings, guards and other protection shall be furnished.

5. Color Approval.

A CENTURY OF PROGRESS may require a change in color and design of some of the existing buildings.

SECTION III.

BUILDING CODE.

All construction and installation must comply with the requirements of A CENTURY OF PROGRESS Building Code. In the event any of the provisions hereof are in conflict with the provisions of said Code, the Code provisions shall govern.

SECTION IV.

HOURS ALLOWED FOR CONSTRUCTION AND INSTALLATION.

After the opening of the Exposition, no construction work or installation or movement of materials will be permitted between the hours of 9:00 A. M. and midnight.

SECTION V.

RAILINGS.

(a) All machinery in motion shall be protected by suitable railings or guards, placed at a sufficient distance from the machine to prevent injury to employees and the public. Design and positions of such railings or guards, to be shown on drawings submitted for the approval of A CENTURY OF PROGRESS. See Section III, Article 4 above.

(b) All railings shall be of substantial construction, rigidly supported and without projections which might catch clothing or inflict injury.

(c) All railings necessary for the protection of public shall be not less than 3 feet 6 inches high.

SECTION VI.

SHOW CASES, TABLES, ETC.

Show cases, counters, stands or tables shall be of design, materials, color and finish satisfactory to A CENTURY OF PROGRESS, and shall not be so placed as to mar the general scheme of the particular court or corridor.

SECTION VII.

DECORATIONS.

(a) Decorations, including finish of ceilings, partitions, floors and of all furnishings shall be subject to approval of A CENTURY OF PROGRESS.

(b) Silk, burlap, denim, bunting or any similar fabric may be used for decorative purposes provided that the material is flame-proofed with Cellon, or other material or process approved by A CENTURY OF PROGRESS. Materials mounted on plaster board need not be flame-proofed.

Murals on canvas shall be flame-proofed unless so mounted that canvas is not more than three-fourths inch from plaster board backing.

(c) Where flame-proofing is required, two (2) samples of the flame-proofed material must be submitted for approval through the Design and Construction Division of A CENTURY OF PROGRESS.

After installation, the material on the job will be subject to further test for final approval.

SECTION VIII.

MOVING PICTURES.

1. Film, Seating and Projection Booths.

(a) Moving Pictures may be used when approved by A CENTURY OF PROGRESS, provided only slow burning cellulose acetate films are used, and provided further, that the seating capacity for such concessions shall not exceed 300. Where seating for more than 25 persons is provided, the seats shall be fixed seats.

(b) Seat arrangement and aisles shall be required under theatre seating requirements of A CENTURY OF PROGRESS Building Code.

(c) Wherever moving pictures are projected and shown, wherein the seating capacity is more than 50 persons, a projection booth constructed of incombustible materials shall be provided. Wherever any projection booth is constructed, only incombustible materials shall be used. Films not in the projector shall be kept in metal containers.

(d) CONCESSIONAIRES are referred to A CENTURY OF PROGRESS Building Code for requirements on larger installations and those using nitrate films.

SECTION IX.

SOUND PRODUCING DEVICES.

1. Permit.

A special permit must be secured for the operation of any sound producing device.

2. Type.

All sound producing equipment must be of such type as not to cause annoyance or inconvenience to CONCESSIONAIRES, EXHIBITORS or the Public.

SECTION X.

REFRIGERATION.

Certain refrigerants are not allowed in A CENTURY OF PROGRESS. Any type of refrigeration should be submitted for approval before entering into contracts for the installation of same.

Note: See Part II, Section I, Paragraph 8 for 24 Hour Electrical Service.

SECTION XI.

INTERIOR LIGHTING

(a) No exposed light bulbs, tubes, reflected image, or other light source or flashing lights will be permitted except by authority in writing of A CENTURY OF PROGRESS.

(b) The color, intensity, type and placing of all lights shall be subject to approval of A CENTURY OF PROGRESS.

SECTION XII.

EXTERIOR LIGHTING.

1. Approval.

All exterior lighting shall be of intensity and color required by A CENTURY OF PROGRESS, and shall conform to the type in use by the Exposition. Written approval must be secured from A CENTURY OF PROGRESS on all lighting installations.

2. Hours.

In order to preserve the architectural unity of the grounds at night, all special buildings and other structures and outdoor areas shall remain lighted each night as long as the general exterior lighting is maintained by A CENTURY OF PROGRESS.

3. Exposed Bulbs.

Exposed bulbs are only allowed for small size frosted or colored bulbs, and are permitted only in Enchanted Island and such areas on the Northerly Island as may be designated by A CENTURY OF PROGRESS as the "Midway."

4. Exposed Gaseous Tubes.

Exposed gaseous tubes may be used subject to approval of A CENTURY OF PROGRESS, provided they conform to and become a part of the architectural design. They shall not be used as decoration around signs.

SECTION XIII.

INTERIOR SIGNS.

(a) Signs may be of wood, metal, glass or other approved material and shall be satisfactory in scale and neat in design.

(b) No sign shall project beyond the CONCESSIONAIRE'S area, nor be placed where it will conflict with the general effect.

SECTION XIV.

EXTERIOR SIGNS.

1. Permits.

(a) No sign shall be erected without securing from the Design and Construction Division a proper permit for the erection of same. All signs are subject to special rulings and approval of A CENTURY OF PROGRESS must be secured on design, construction and reading matter.

(b) Signs erected during 1933 will not be permitted to remain unless a new sign permit is issued for 1934 and must conform to the 1934 requirements.

(c) All signs shall be substantial in construction, and no signs constructed of paper or canvas will be permitted.

(d) No sign shall extend beyond the building of the Concession.

(e) No signs advertising products not manufactured by the EXHIBITOR shall be installed.

(f) Vertical height for signs, all portions of which are between 9 and 15 feet above ground or floor level, shall be not more than 14 inches.

(g) Vertical height for signs, all portions of which are between 15 and 25 feet above ground or floor level, shall be not more than 24 inches.

(h) Vertical height for signs, all portions of which are over 25 feet above ground or floor level, shall be subject to special ruling.

2. Illumination.

(a) No flashing signs will be permitted. No exposed gaseous tubes or other exposed light source, or reflected image thereof, shall be used for the illumination of any sign.

(b) All illuminated signs shall be indirectly illuminated with the source of light concealed, or shall be so constructed as to properly diffuse the light by the installation of opal glass in front of the source of light. The source of light shall be at least one inch behind the glass. Sample of the glass must be submitted for approval.

SECTION XV.

TEMPORARY SIGNS.

Permits must be secured for the erection of all temporary signs both inside and outside of buildings, regardless of the length of time the signs are to be used.

SECTION XVI.

FLOOD LIGHTS.

When flood lights are used, they must be placed in such a position, or shielded in such a manner as not to be glaring, or so people in adjoining spaces or on roads, walks and aisles cannot look directly into the lens. Glaring flood lights are not permitted.

SECTION XVII.

DAMAGE TO UTILITIES.

The cost of repairs to utilities, occasioned by damage to construction work by a CONCESSIONAIRE, shall be borne by the CONCESSIONAIRE.

SECTION XVIII.

GAS.

Contracts and billing for gas are by direct arrangement between the Peoples Gas Light and Coke Company of Chicago and the CONCESSIONAIRE.

Piping inside of buildings shall be installed by approved plumbing contractor at the expense of the CONCESSIONAIRE. Connections from exterior building wall to existing gas main will be made by the Gas Company at the expense of the CONCESSIONAIRE.

NOTE: Buildings cannot be erected over gas mains.

SECTION XIX.

WATER.

Charges for water will be at the following rates:

For each $\frac{1}{2}$ inch connection to A CENTURY OF PROGRESS main,
\$5.00 per month, payable monthly.

For each $\frac{3}{4}$ inch connection to A CENTURY OF PROGRESS main,
\$10.00 per month, payable monthly.

For each 1 inch connection to A CENTURY OF PROGRESS main,
\$25.00 per month, payable monthly.

Connections over 1 inch must be metered.

Metered service \$1.00 per thousand cubic feet.

Minimum charge \$5.00 per month.

These charges do not include cost of installation or connection, which work will be done by A CENTURY OF PROGRESS at the expense of the USER. These installation and connection costs cannot be definitely determined until complete data in regard to location is available.

For metered connections, the meter installation and cost of meter shall be paid by the CONCESSIONAIRE.

The attention of CONCESSIONAIRES is called to the fact that where water is used only occasionally and in limited quantities, facilities established by A CENTURY OF PROGRESS will be available at various points where water can be obtained without cost to the USER.

SECTION XX.

STORM SEWERS TO LAKE.

Storm sewer outfalls to the lake or lagoon will be permitted only by special approval of A CENTURY OF PROGRESS, and must extend one (1) foot through the bulkhead in iron pipe.

SECTION XXI.

TELEPHONES.

Telephones will be installed by direct contract with the Illinois Bell Telephone Company (Chicago Office).

SECTION XXII.

RAISED PLATFORMS.

1. Permits.

Raised platforms in concession areas to which the public has access may be installed only by special permission.

2. Height.

If platforms are used, they shall be 4 $\frac{1}{2}$ " in height above the adjoining floor.

3. Illumination.

All risers over which the public may pass shall be illuminated. It is recommended that ramps with a run of not less than five (5) times the rise be used in place of illuminated steps.

PART II.
ELECTRICAL CONSTRUCTION, OPERATION AND MAINTENANCE.

SECTION I.

GENERAL.

In order to expedite and economize in the installation and safeguard the operation of electrical work and equipment of CONCESSIONAIRES throughout the Fair grounds, the following standards and specifications have been formulated. The standards, as set up by A CENTURY OF PROGRESS EXPOSITION, are in accordance with the requirements of the National Board of Fire Underwriters. These regulations are intended to eliminate conflicts and disputes, and to maintain continuous satisfactory electrical service at all times without jeopardizing the CONCESSIONAIRE's display or the distribution system of A CENTURY OF PROGRESS.

1. Plans.

Plans on which bids are taken should show all outlets, fixtures, feeder to space, load and phase of each circuit, total loads for each phase and total of all phases. Plans should be approved by A CENTURY OF PROGRESS before bids are taken, and if additional feeder capacity is required, an estimate can be given on the cost of same.

Six (6) copies of working plans, with request for permit, must be submitted for approval.

2. Contractors.

Only contractors approved by A CENTURY OF PROGRESS are permitted to do construction work on the Fair grounds, and a permit must be secured from A CENTURY OF PROGRESS, approved by the Electrical Section, before work is started.

3. Contractors in Buildings and Areas Serving More than One Owner.

Permits will be issued on the following basis:

(a) In a Concession space that is fed by independent feeders, the CONCESSIONAIRE may employ an approved contractor to do the electrical work. The independent feeder from the switchboard, or other point designated by A CENTURY OF PROGRESS to the CONCESSIONAIRE's area, shall be installed by the duly authorized agent of A CENTURY OF PROGRESS at the CONCESSIONAIRE's expense.

(b) Lighting fixtures may be installed by an approved electrical contractor.

(c) Where feeders are utilized by more than one CONCESSIONAIRE, the wiring in these concessions is to be done by the Agent of A CENTURY OF PROGRESS at the expense of the CONCESSIONAIRE.

3. System.

(a) *Primary Distribution.* The primary electrical distribution system to transformer vaults is an underground system of approximately 3740/2160 volts—3 phase, 60 cycle, 4 wire.

(b) *Secondary Distribution.* The secondary distribution system from transformer vaults is a 4 wire, 3 phase, 60 cycle, 200/115 volt (Star) system, with five per cent variation above or below.

(c) *Direct Current.* Direct current is not provided by A CENTURY OF PROGRESS.

4. Service.

The CONCESSIONAIRE should consult the Design and Construction Division for information on service. In general, requirements up to 75 KW may be furnished on the Secondary System. Larger loads may require service from the Primary System with a transformer vault installed at the expense of the CONCESSIONAIRE.

5. Primary Feeders to Buildings Not Owned By A Century of Progress.

(a) All feeders to special buildings requiring substations are to be 5000 volt paper and lead cables, installed in an underground duct system and run to the nearest A CENTURY OF PROGRESS man-hole, where such service is available. The splices to main service cables are to be made by the agent of A CENTURY OF PROGRESS, and at the CONCESSIONAIRE's expense.

(b) *Transformer Vaults.* All transformer vaults are to be of approved fire-proof construction, shall have a floor not less than 6" below the building floor level, and shall be provided with an oil pit of twice the capacity of one transformer, which pit shall be filled with crushed stone 2" and larger in size.

Vaults shall be provided with proper ventilation.

Transformers are to be connected "Y" on the high tension side and shall be protected by approved disconnecting type fuses. High tension cables shall be terminated in a pot head. All special buildings are to be metered on the high tension side.

(c) *Maximum Capacity of Transformer Vaults.* The maximum capacity of a transformer vault compartment in a building is 1200 K.V.A. and compartment shall be separated by incombustible partitions, or one equal to No. 11 gauge steel, reinforced with angle irons.

6. Secondary Feeders.

(a) All feeders to Concession Buildings are to be trenchlay or lead covered in conduit or pump log run underground from the nearest service manhole as designated by A CENTURY OF PROGRESS at the CONCESSIONAIRE'S expense.

(b) *Service Connections.* All connections to underground feeders, or switchboard, are to be made by A CENTURY OF PROGRESS at the CONCESSIONAIRE'S expense.

7. Emergency Lighting System.

(a) All buildings are required by the Building Code to be provided with an emergency lighting system of an energy source other than the general illuminating system. This emergency system is to be of sufficient capacity to give a reasonable intensity of illumination over entire area if the regular system should fail. The source of energy for this system may be an automatic battery set of sufficient capacity to give proper illumination for a twenty minute period, and must have automatic charging equipment. Gas may also be used for this system where available, and must be lighted at all times. No switch is allowed in battery circuit.

(b) *Battery Room.* The batteries, charger, automatic throw-over switch and fuses for the emergency lighting system shall be located in an incombustible room or cabinet.

8. Twenty-four (24) Hour Service.

Twenty-four hour Electrical Service will be supplied on request. The additional cost of wiring this service will be charged to the Applicant. A CENTURY OF PROGRESS will not be responsible for damage due to failure of current at any time.

Important: Unless 24 hour service is arranged for, current will be cut at the close of each day.

9. Three Phase Service.

Three phase service will be furnished only on request.

10. Wiring in Buildings.

(a) *Power Wiring.* All power wiring for $\frac{1}{3}$ h.p. motors, and larger, shall be in metallic raceway or conduit. Motors larger than 2 h.p. shall be three phase; smaller motors may be single phase. Motors of 5 h.p. and larger, shall be equipped with reduced voltage starters. All motors shall be satisfactorily grounded.

(b) *Emergency Wiring.* All emergency wiring shall be in metallic raceway or conduit, and independent of the regular illumination or power wiring.

(c) *Branch Wiring.* Where not specified to be in metallic raceways or conduit, branch wiring for circuits not exceeding 20 amperes in capacity may, where properly protected by ceilings, be cleat work. The cleats shall be spaced approximately four (4) ft. centers. No branch circuits shall be less than No. 12 wire, and the maximum amperage of one lighting circuit shall not exceed 20 amperes. Where wires are liable to come in contact with metallic surfaces, the wires shall be covered with loom. Not more than 32 sockets will be allowed on one circuit.

(d) *Phasing.* All branch circuits shall be balanced within five (5) per cent across the three phases. No 200 volt single phase appliances shall be connected to A CENTURY OF PROGRESS system. If tests made by A CENTURY OF PROGRESS show more than five (5) per cent unbalance, correction will be made and cost will be charged to the CONCESSIONAIRE.

(e) *Taps.* All taps to feeders shall be fused within five feet of tap.

(f) *Pigtails.* All pigtail drops, and where wires are liable to come in contact with metallic surfaces, or be damaged, shall be covered with loom.

(g) *Wiring of Exhibits.* Dioramas used as exhibits and similar construction built of open frame construction, and properly flameproofed, may be wired by open type cleat wiring provided same is properly protected against physical damage, is inaccessible to the public, and is out of view of the public.

All sockets are to be firmly secured in place. Open terminal sockets will not be allowed.

All wiring shall be secured in place by porcelain cleats, spaced not to exceed four (4) feet; and pigtails shall be protected by covering with loom.

Where metal construction is used in lieu of mill construction, the metal shall be satisfactorily grounded or metallic conduit used for all wiring.

(h) *Adaptors.* The installation of multiple receptacle adaptors in convenience outlets will not be permitted.

(i) *Extension Cords.* Extension cords subject to mechanical injury must be of Tyrex, or equal quality, and not more than 7½ feet long. Other cords must be Underwriters' approved with a minimum of 1/32" thickness of rubber insulation. All cords for heating appliances must be approved asbestos cord.

(j) *Heaters.* All heaters, waffle irons and hot plates must be Underwriters' approved, and are to be installed only upon a permit issued by the Electrical Section of A CENTURY OF PROGRESS. This permit will show the circuit on which these appliances are to be installed. These appliances must be controlled by a "bulls-eye" switch and must be properly grounded.

11. Exterior Wiring.

All wiring for exterior lighting shall be in metallic raceways or conduit and shall be concealed unless written permission is given otherwise by A CENTURY OF PROGRESS.

12. Meters.

The rates for electrical current provide that a CONCESSIONAIRE has the choice of selecting a metered service or a flat rate charge. Where meters are requested, the CONCESSIONAIRE shall pay for the meter and the installation of same.

The following metering equipment must be obtained from A CENTURY OF PROGRESS and will be sold at cost:

Meter

Meter Fitting

Current and Potential Transformers

The meter will be installed by A CENTURY OF PROGRESS at the expense of the CONCESSIONAIRE. The meter fitting and instrument transformers must be installed, and the meter, panel board, transformer cabinet and wiring to meter and transformers must be provided and installed by the user, either as a part of the electrical work of the space, or by his own contractor.

The type of meter installation, whether single phase, three phase, or current transformer type, shall be as determined by the Electrical Section of A CENTURY OF PROGRESS. All loads having a maximum demand over 36 KW. must have current transformers in connection with the metering equipment.

13. Meters Without Maximum Demand Attachments.

The maximum demand attachments to meters, where the total load is 5 KW. or less, may be omitted in order to reduce cost of meters. However, where the maximum demand attachment is omitted, the maximum demand will be computed by A CENTURY OF PROGRESS as 85 per cent of the total connected load.

A survey will be made by A CENTURY OF PROGRESS to determine the total connected load for each CONCESSIONAIRE, and should any change in this total connected load be made by the CONCESSIONAIRE, he shall at once notify the Electrical Section of A CENTURY OF PROGRESS of such changes.

14. Meter Location.

The meter must be located in an accessible space and within reach of the floor. If out-of-doors, it must be enclosed in a weatherproof box of a size specified by the Electrical Section, depending upon the meter and fitting used.

15. Transformer Cabinet.

Current transformers, except in sub-stations, must be enclosed in a sheet metal box that can be locked, and of not less than the following sizes:

1 transformer 10"x12"x36"

3 transformers 10"x30"x36"

16. Service Switch.

For the protection of the meter, the main switch must be of the sealable type, or in a cabinet that can be locked.

17. Rates for Electricity.

(a) *In General.* Electricity will be sold by A CENTURY OF PROGRESS to CONCESSIONAIRES on either unmetered or metered basis, at the user's choice. The rates for either unmetered or metered service will be as follows:

(b) *Demand Charge.* \$1.40 per month per kilowatt for the first 25 kilowatts of the maximum demand in the month. \$0.75 per month per kilowatt for the excess, if any, of the maximum demand in the month over 25 kilowatts.

(c) *Energy Charge.*

3.5c per kilowatt hour for the first 2000 kilowatt hours used in the month
3.0c per kilowatt hour for the next 3000 kilowatt hours used in the month
1.1c per kilowatt hour for the next 25000 kilowatt hours used in the month
0.9c per kilowatt hour for the next 70000 kilowatt hours used in the month
0.65c per kilowatt hour for the excess over 100,000 kilowatt hours used in the month

(d) *Unmetered Service.* In determining the charge for unmetered service, the full connected load based on wattage of all lamps and name plate rating of all motors and equipment connected will be considered as the continuous demand for whatever hours the Concession is open, plus a reasonable time for servicing of user's space.

At the opening of the EXPOSITION, and from time to time during the operation, a thorough check will be made of each unmetered Concession to determine the total connected load. If any deductions in load are made, a record must be submitted in writing before credit for same will be allowed. If an increase in load is found in rechecking, the amount of energy consumed by the increase will be billed for the entire time since the last check period, whether used or not. It is essential that any increase in load be reported to A CENTURY OF PROGRESS, who will check the capacity of the circuit and feeder, and if found ample, will issue a permit or advise what work is necessary in order to avoid fire hazards and shut-downs.

Automatic refrigeration equipment will be considered in operation for eighteen (18) hours of the day.

Any equipment operating intermittently will be given special consideration if notified in writing, but in no case will be figured at less than three (3) hours per day.

For large motors, which are used as exhibits only, and operated at a fraction of their rated capacity, special rates may be arranged on application to A CENTURY OF PROGRESS.

(e) *Bulbs.* Bulbs will not be furnished free of charge either under metered or unmetered service. One Hundred Twenty (120) volt bulbs should be used.

(f) *Payments.* The user will be billed at the beginning of each month for electricity used the preceding month.

18. Testing.


The wiring of all spaces shall be tested for shorts and grounds just before service is cut in. All high tension installations shall be tested by the agent of A CENTURY OF PROGRESS, and at the expense of the CONCESSIONAIRE before service is supplied.

19. Temporary Service.

Temporary service for construction purposes will be run to the property line of any Concession without charge.

The CONCESSIONAIRE shall pay for the current used at the standard rates published in this Section and shall also pay a meter rental of \$3.00 per month for small meters, or \$5.00 per month for transformer rated meters. One month rental shall constitute the minimum meter charge.

A CENTURY OF PROGRESS will install the meter. The panel and switch shall be furnished and installed by the CONCESSIONAIRE.



1. The first part of the report is a general statement of the purpose and scope of the study. It is followed by a brief review of the literature on the subject. The third part of the report is a description of the methods used in the study. This is followed by a presentation of the results of the study. The final part of the report is a discussion of the results and their implications.

2. The second part of the report is a detailed description of the methods used in the study. This includes a description of the subjects, the materials, and the procedures. It also includes a description of the data collection and analysis methods. This part of the report is followed by a presentation of the results of the study. The final part of the report is a discussion of the results and their implications.

3. The third part of the report is a presentation of the results of the study. This includes a description of the data and a discussion of the results. It also includes a discussion of the implications of the results. The final part of the report is a discussion of the results and their implications.

4. The fourth part of the report is a discussion of the results and their implications. This includes a discussion of the limitations of the study and a discussion of the implications of the results. The final part of the report is a discussion of the results and their implications.

5. The fifth part of the report is a discussion of the results and their implications. This includes a discussion of the limitations of the study and a discussion of the implications of the results. The final part of the report is a discussion of the results and their implications.

6. The sixth part of the report is a discussion of the results and their implications. This includes a discussion of the limitations of the study and a discussion of the implications of the results. The final part of the report is a discussion of the results and their implications.

